REVIEW ARTICLE

Central auditory processing in bilinguals

Jamileh Chupani*, Mohanna Javanbakht, Yones Lotfi

Department of Audiology, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran

Received: 8 Jan 2021, Revised: 24 Feb 2021, Accepted: 12 Apr 2021, Published: 15 Jul 2021

Abstract

Background and Aim: The majority of the world's population is bilingual. Bilingualism is a form of sensory enrichment that translates to gains in cognitive abilities; these cognitive gains in attention and memory are known to modulate subcortical processing of auditory stimuli. Second language acquisition has a broad impact on various psychological, cognitive, memory, and linguistic processes. Central auditory processing (CAP) is the perceptual processing of auditory information. Due to its importance in bilingualism, this study aimed to review the CAP of bilinguals.

Recent Findings: The CAP was studied in three areas: dichotic listening, temporal processing, and speech in noise perception. Regarding dichotic listening, studies have shown that bilinguals have better performance in staggered spondaic word (SSW) test, consonant-vowel dichotic test, dichotic digits test (DDT), and disyllable dichotic test than monolinguals, although similar results have also been reported in SSW and DDT. Regarding temporal processing, the results of bilinguals do not differ from those of monolinguals, although in some cases, it is better in bilinguals. Regarding speech in noise perception, the results between bilinguals and monolinguals are varied depending on the amount of linguistic information available in the stimuli.

* Corresponding author: Department of Audiology, University of Social Welfare and Rehabilitation Sciences, Daneshjoo Blvd., Evin, Tehran, 1985713834, Iran. Tel: 009821-22180066, E-mail: chupani.aud.jc@gmail.com

Conclusion: Bilingualism has a positive effect on dichotic processing, no effect on temporal processing, and varied effect on speech in noise perception. Bilinguals have poor performance using meaningful speech and better performance using meaningless speech.

Keywords: Central auditory processing; bilingual; dichotic listening; temporal processing; speech in noise perception

Citation: Chupani J, Javanbakht M, Lotfi Y. Central auditory processing in bilinguals. Aud Vestib Res. 2021;30(3):160-6.

Introduction

Bilinguals make up more than half of the world's population [1]. There has been a significant increase in the number of studies on how bilingualism affects human language and cognition faculties. The results have shown differences between bilinguals and monolinguals in different areas [2-4]. In bilingualism, two cognitive outcomes are possible; one is that high knowledge and use of two languages affects cognition, regardless of the complexity of the languages (macro level) [5]. For example, it can increase metalinguistic awareness or delay onset of Alzheimer's [6]. Moreover, bilingualism enhances cognitive control and, thus, protects against age-related cognitive decline and postpones the onset of dementia [7]. Another cognitive outcome of bilingualism is that learning two languages affects cognition due to the characteristics of the involved language and how different aspects of the world and life

are coded by each language [5]. Bilingualism has a direct relationship with cognitive factors such as problem-solving, creative thinking, divergent thinking, independence and concept formation [8]. Anatomical studies have shown that the density of grey matter in the left inferior parietal cortex [9] and asymmetry in the amount of myelinated white matter [10] are higher in bilinguals compared to monolinguals.

In magnetic resonance imaging (MRI) studies, it has been shown that the activation of basic neural circuits is common for first and second language processing, but the level of activity is higher in the second language processing [11]; hence, there is a close relationship between learning different languages and structural, morphological and behavioral changes in the brains of bilinguals [10,12,13]. Learning a second language causes more white matter in the peritoneal region and temporal lobe of the brain. This can be attributed to the effect of further myelination during neural processing, which is essential for learning second language sounds [10]. Studies on bilingualism confirm that second language acquisition has a broad impact on memory and various psychological, cognitive, and linguistic processes. For example, bilinguals have a high ability to focus on the desired information and ignore irrelevant information [14]. They perform better than monolinguals in controlling nonverbal information [15]. Another difference is related to the superior working memory under spatial tests in bilinguals [16]. During other cognitive tasks such as selective attention tasks, the superiority of bilinguals over monolinguals has also been reported [17]. Language engages the dorsal auditory pathway, linked by arcuate fasciculus (AF), and consistent practice to learn a second language can modify the white-matter tract of AF[18]. Koravand et al. showed that bilinguals perform better than monolinguals in subcortical processes, which has been confirmed in electrophysiological tests with speech-auditory brainstem response (speech ABR) [19]. Bilinguals have stronger neural processing of the fundamental frequency of the voice (F0) measured by the frequency-following response (FFR). The F0 is a major cue used for identifying and tracking

auditory objects and, thus, is crucial for communication in complex soundscapes [20,21]. Therefore, the study of auditory processing in bilingualism is important. Auditory processing has a cognitive structure based on the input auditory signal, and practically uses its information [12]. Since auditory processing is a term for what we do with what we hear [22], cognitive development makes auditory information functionally useful. Auditory processing includes important abilities such as sound recognition, sound localization, attention, analysis, memory, and retrieval of auditory information [12].

Sensorimotor and cognitive processes are used for auditory and speech perception [23]. In most everyday situations, speech is recognized in the presence of competitive sounds [24]. Speech in noise perception generally entails two processes: a) low-level or bottom-up processing such as primary auditory information processing, and b) high-level or top-down processing such as linguistic and cognitive processes [25,26]. Low-level perception skills include auditory stream segregation followed by identification and recognition of the attended signals [24]. Auditory stream segregation is a phenomenon in which two or more repeating sounds with at least one different acoustic attribute are perceived as two or more separate sound sources [27,28]. There are many high-level auditory processes, two of which are syntactic and phonological processes [24]. Many studies have been conducted on bilingual auditory processing. These studies as well as clinical tests on central auditory processing (CAP) in different bilingual and monolingual individuals highlighted the difference between these people. The difference in the CAP of bilinguals affects the results of clinical tests and auditory rehabilitation programs. Therefore, audiologists, linguists, speech therapists, auditory and speech neuroscientists, cognitive scientists, and other related experts should be aware of the effects and mechanisms of bilingualism. In this study, we aimed to review the CAP of bilinguals.

Methods

In this review study, the search was conducted in Google Scholar, US National Library of Chupani et al. 162

Medicine, PubMed, Science Direct, Medline, and SID databases using Medical Subject Headings (MeSH) keywords including: central auditory processing, bilingual, speech in noise, dichotic listening, temporal processing, and bilingual's auditory processing on related studies published from 1978 to 2020. The results of published articles are classified into three general areas related to CAP, including dichotic listening, temporal processing, and speech in noise perception.

Dichotic listening

In dichotic listening tests, two different auditory stimuli are delivered to both ears simultaneously and the subject is asked to repeat the heard stimuli from one or both ears. When the patient is asked to repeat from only one ear, the task is the separation of inputs, but if s/he is asked to repeat from both ears, the task involves the combination of inputs [29]. Research on dichotic listening in bilinguals has been performed by various tests. One of these tests is the staggered spondaic word (SSW) test [30]. The SSW test has been used to evaluate CAP since the early 1960s. It is used by almost 50% of testers in the United States [31]. It consists of 40 pairs of two-syllable words that are stressed. In this test, the second syllable of the first word and the first syllable of the second spondee are presented simultaneously in each of the four conditions: right non competing (RNC), right competing (RC), left competing (LC), and left non competing (LNC) [32]. This test requires attention, auditory memory, speech ability and evaluation power, in addition to figure-ground skill [33]. Studies using the SSW test on different bilinguals have shown that bilingual people perform better in the SSW test than monolinguals [12,33,34]. Ferreira et al. analyzed auditory behavior in bilinguals under the SSW test compared to monolinguals. The subjects were monolingual speakers of Brazilian-Portuguese language and bilingual speakers of Brazilian-Portuguese and German or Italian languages. Their findings showed that the auditory experience provided by bilingualism improved the performance under the SSW test [34]. The increase in the SSW test score in bilinguals is related

to their higher cognitive abilities [33] such as attention that has a positive effect on the ability to decode and recognize messages [34]. However, the results of some studies are against this finding. For example, in Silva's study where the auditory performance of bilinguals fluent in English and monolingual speakers of Brazilian-Portuguese language under SSW test was compared, results showed no differences between the groups [35]. Therefore, it seems that further studies should be conducted using larger sample size and more languages.

Another dichotic test is the consonant-vowel (CV) test. In this test, the stimulus consists of six CV syllables (/ga/, /da/, /ba/, /ka/, /ta/, /pa/) presented in pairs to one ear [36]. This test is used to evaluate the auditory capacity of bilinguals compared to monolinguals. The results have shown that bilinguals have higher CV test scores and more auditory capacity than monolinguals [36]. Studies with disyllable dichotic test have also shown that bilinguals' ability is greater [12], while the studies using dichotic digits test (DDT) have shown contradictory results; some reported higher scores for bilinguals [33,35], while others reported equal scores for bilinguals and monolinguals [12,37]. SSW test has more cognitive load than DDT [35], and requires more language proficiency [34]. This can be the reason for the lack of difference in the results of SSW in some studies. Therefore, depending on the type of test, dichotic studies may report different results for bilinguals compared to monolinguals.

Temporal processing

The auditory temporal processing is defined as the perception of sound or of the alteration of sound within a restricted time interval [38]. Given the temporal resolution required for ordinary conversations at a rate of about 140 words per minute, it is expected that temporal processing is considered in the studies on auditory processing and speech comprehension. New findings link temporal processing of auditory information to areas of the brainstem [29]. Electroencephalography (EEG) studies have shown that, in addition to primary sources in the auditory cortices, sources outside the auditory cortex

designated as non-primary cortical sources are involved in auditory temporal processing. These non-primary sources are within the left and right motor cortices [39]. The common tests for auditory temporal processing are duration pattern sequence (DPS) test, pitch pattern sequence (PPS), frequency pattern test (FPT) and gap-innoise (GIN) test [40]. Pitch is one of the most important parts of speech information, especially in tonal languages, and helps study the affected mechanisms at different processing levels, because of its phonemic status at the syllable level [41]. Some studies have shown no significant difference in the results of PPS [12,40], DPS [12] and GIN [40] tests between bilinguals and monolinguals. Based on these studies, bilingualism has no notable effect on auditory temporal processing abilities. It may be related to the slight differences between the phonetic and linguistic structures of first and second languages [40]. This issue may indicate the need to study the effect of bilingualism on auditory temporal processes in people with one tonal language and one non-tonal language. Oppitz et al. compared FPT and DPS results of bilinguals and monolinguals. They found that the bilingual subjects performed better in temporal processing tests and suggested that this outcome may be related to the role of the left hemisphere in the analysis of temporal aspects of specific sound stimuli for their discrimination [42]. Some studies have shown that bilingualism does not affect temporal processing [12,40,43], while a study showed that bilinguals have better performance compared to monolinguals in temporal processing [42].

Speech in noise perception

As mentioned before, speech in noise perception is done through two general processes: low-level or bottom-up processing such as primary auditory information processing, and high-level or top-down processing such as linguistic and cognitive processes [25]. Auditory tests in the presence of noise are used in many studies as a clinical and research tool [44-47]. Based on the amount of linguistic information, various tests have been designed to assess speech in noise perception, some of which have been used for

comparing bilinguals and monolinguals. In a study by Krizman et al., before testing the speech in noise perception, tone in noise detection in bilinguals was carried out using backward masking and tone tracking. In their study, bilinguals had better performance than monolinguals. Researchers believed that the ability to perceive a tone embedded in noise is related to cognitive mechanisms [48]. This supports the hypothesis that bilinguals have higher cognitive abilities [33]. Krizman et al. and Kraus and White-Schwoch using the words in noise test showed no difference between bilinguals and monolinguals [20,48]. In sentence-based tests including hearing in noise test and quick speech in noise test which are common clinical tests for assessment of speech in noise perception, bilinguals scored lower [2,48-50]. Studies on different levels of noise showed that with increasing noise (decreesing signal-to-noise ratio), bilinguals' performance is more affected than that of monolinguals and report lower scores, but the silent mode of their performance is equal [50]. Other studies have shown that bilinguals have poorer performance under hearing-in-noise test when the test material is related to a second language [51]. Based on the above mebtioned studies, it can be said that bilinguals have poorer performance under speech in noise perception tests compared to monolinguals, and its exact mechanism is not clear. Of course, the studies depend on the amount of linguistic information in the stimuli; when there is no linguistic information in the stimulus (pure tone), bilinguals perform better than monolinguals [48]. In other words, bilinguals in their second language have the ability to understand

Discussion

The existence of structural, anatomical [10,53], functional, and physiological [21,54] differences between bilinguals and monolinguals, as well as differences in their cognitive abilities [14], indicate the differences in their CAP. Since the volume of the corpus callosum is higher in bilinguals than in monolinguals [55] and the relationship between the two hemispheres is important for dichotic abilities, it is scientifically logical

speech at low-frequency noises [52].

Chupani et al. 164

and we can argue that bilinguals' dichotic listening abilities are higher compared to monolinguals and have better performance in CV test, disyllable dichotic test, DDT and SSW test [12,33-36]. Some studies, however, showed their equal performance in DDT and SSW test [12,35,37]; therefore, the type of test is important and more studies using DDT and SSW test are needed. Temporal information is generally processed in the subcortical parts [40], auditory cortex, and non-primary pathways [39]. Despite the differences in the plasticity of bilingual and monolingual individuals [6,21,56], in studies on temporal processing with existing tests, no significant difference was reported between the two groups [12,40,43,57], and one study even reported better performance of bilinguals in temporal processing [42].

In speech in noise perception studies, the complexity of tests makes it more difficult to predict the results due to the simultaneous integration of several important issues: whether or not the used speech material is meaningful, the presence of noise, the ability to control the interfering factor for perception, and test materials in a second language rather than in the first language of a bilingual are the main factors that can cause different results. Therefore, studies have been conducted using different speech-in-noise perception tests [12,40,48,58-60]. Bilingualism, in addition to structural differences in myelination [10], plasticity, and the volume of different parts of the nervous system, seems to make reasonable and expected differences in CAP. A study even suggested that the knowledge of multiple languages improves supra-threshold auditory processing [61].

Conclusion

The cognitive and neural advantages in bilingual people highlight the need to consider how bilingualism improves the activity of the brain and affects the related processes including central auditory processing. Bilinguals perform better than monolinguals in dichotic listening tests; however, in some dichotic tests (dichotic digit test and staggered spondaic word) similar results have been reported. Auditory temporal

processing in bilinguals does not differ from that of monolinguals, although in some cases it is better in bilinguals. In speech in noise perception, the results of studies vary depending on the speech material used to test. In a meaningless speech (non-sense syllable), the scores of bilinguals are higher than those of monolinguals, while in a meaningful speech, the scores of bilinguals are lower. Numerous studies have shown the differences between bilinguals and monolinguals, and some studies have noted that, by using suitable tools and methods, they can differentiate between monolinguals with linguistic damage and bilinguals with typical growth.

Conflict of interest

The authors state that there was no conflict of interest.

References

- Bialystok E, Craik FIM, Luk G. Bilingualism: consequences for mind and brain. Trends Cogn Sci. 2012; 16(4):240-50. doi: 10.1016/j.tics.2012.03.001
- Morini G, Newman RS. Monolingual and bilingual word recognition and word learning in background noise. Lang Speech. 2020;63(2):381-403. doi: 10.1177/0023830919846158
- 3. Vaezi S, Zolfaghari Ardchi F, Rahimi E. [Cognitive processing in bilingual and monolingual children]. 2012;3(1):119-34. Tafakkor va Kudak (Thinking and Children). Persian.
- 4. Bailey C, Venta A, Langley H. The bilingual [dis] advantage. Lang Cogn. 2020;12(2):225-81. doi: 10.1017/langcog.2019.43[Opens in a new window]
- Cook V. Second language learning and language teaching. 5th ed. New York: Routledge; 2016.
- Kraus N, Anderson S. Bilingualism Enhances Neural Speech Encoding. Hearing J. 2014;67(7):40. doi: 10.1097/01.HJ.0000452246.45569.6a
- 7. Stern Y. What is cognitive reserve? Theory and research application of the reserve concept. J Int Neuropsychol Soc. 2002;8(3):448-60. doi: 10.1017/S1355617702813248
- 8. Barzegarfard S, Keramati H. [Inquiring the cognitive control, social problem solving and self-esteem between monolingual and bilingual students]. Journal of Cognitive Psychology. 2016;3(3-4):61-9. Persian.
- Mechelli A, Crinion JT, Noppeney U, O'Doherty J, Ashburner J, Frackowiak RS, et al. Neurolinguistics: structural plasticity in the bilingual brain. Nature. 2004; 431(7010):757. doi: 10.1038/431757a
- Golestani N, Paus T, Zatorre RJ. Anatomical correlates of learning novel speech sounds. Neuron. 2002;35(5):997-1010. doi: 10.1016/s0896-6273(02)00862-0
- 11. Saur D, Baumgaertner A, Moehring A, Büchel C, Bonnesen M, et al. Word order processing in the bilingual brain. Neuropsychologia. 2009;47(1):158-68. doi: 10.1016/j.neuropsychologia.2008.08.007

- Onoda RM, Pereira LD, Guilherme A. Temporal processing and dichotic listening in bilingual and non-bilingual descendants. Braz J Otorhinolaryngol. 2006; 72(6):737-46. doi: 10.1016/s1808-8694(15)31040-5
- Kotz SA. A critical review of ERP and fMRI evidence on L2 syntactic processing. Brain Lang. 2009;109(2-3):68-74. doi: 10.1016/j.bandl.2008.06.002
- Macizo P, Herrera A, Román P, Martín MC. Second language acquisition influences the processing of number words. Procedia Soc Behav Sci. 2010;9:1128-34. doi: 10.1016/j.sbspro.2010.12.295
- Bialystok E, Martin MM. Attention and inhibition in bilingual children: Evidence from the dimensional change card sort task. Dev Sci. 2004;7(3):325-39. doi: 10.1111/j.1467-7687.2004.00351.x
- 16. Blom E, Küntay AC, Messer M, Verhagen J, Leseman P. The benefits of being bilingual: Working memory in bilingual Turkish–Dutch children. J Exp Child Psychol. 2014;128:105-19. doi: 10.1016/j.jecp.2014.06.007
- Yousefi R, Soleymani M, Ghazanfariyanpour S. [Comparison of selective attention and intelligence profile in bilingual and monolingual adolescents]. Archives of Rehabilitation. 2018;18(4):278-87. Persian. doi: 10.21859/jrehab.18.4.2
- Vaquero L, Rousseau P-N, Vozian D, Klein D, Penhune V. What you learn & when you learn it: Impact of early bilingual & music experience on the structural characteristics of auditory-motor pathways. Neuroimage. 2020; 213:116689. doi: 10.1016/j.neuroimage.2020.116689
- 19. Koravand A, Thompson J, Chénier G, Kordjazi N. The effects of bilingualism on speech evoked brainstem responses recorded in quiet and in noise. Can Acoust. 2019;47(2):23-30.
- Kraus N, White-Schwoch T. The bilingualism paradox. Hear J. 2017;70(1):40,42. doi: 10.1097/01.HJ.0000511727.48959.2d
- Krizman J, Marian V, Shook A, Skoe E, Kraus N. Subcortical encoding of sound is enhanced in bilinguals and relates to executive function advantages. Proc Natl Acad Sci U S A. 2012;109(20):7877-81. doi: 10.1073/pnas.1201575109
- Katz J, Wilde L. [Desordens do processamento auditivo].
 In: Katz J, editor. Tratado de Audiologia Clínica (4a),
 Manole, São Paulo; 1999, pp. 486-98. Portuguese.
- Kuhl PK, Miller JD. Speech perception by the chinchilla: Identification functions for synthetic VOT stimuli. J Acoust Soc Am. 1978;63(3):905-17. doi: 10.1121/1.381770
- 24. Rajan R, Cainer KE. Ageing without hearing loss or cognitive impairment causes a decrease in speech intelligibility only in informational maskers. Neuroscience. 2008;154(2):784-95. doi: 10.1016/j.neuroscience.2008.03.067
- Rogers CL, Lister JJ, Febo DM, Besing JM, Abrams HB. Effects of bilingualism, noise, and reverberation on speech perception by listeners with normal hearing. Appl Psycholinguist. 2006;27(3):465-85. doi: 10.1017/S014271640606036X
- Ziegler JC, Pech-Georgel C, George F, Alario FX, Lorenzi C. Deficits in speech perception predict language learning impairment. Proc Natl Acad Sci U S A. 2005;102(39):14110-5. doi: 10.1073/pnas.0504446102
- Snyder JS, Carter OL, Lee S-K, Hannon EE, Alain C.
 Effects of context on auditory stream segregation. J Exp

- Psychol Hum Percept Perform. 2008;34(4):1007-16. doi: 10.1037/0096-1523.34.4.1007
- Snyder JS, Alain C. Toward a neurophysiological theory of auditory stream segregation. Psychol Bull. 2007; 133(5):780-99. doi: 10.1037/0033-2909.133.5.780
- Nazeri A, Lotfi Y, Moosavi A, Zamiri F, Delfi M. [Auditory processing disorders in elderly people].
 J Rehab Med. 2014;3(1):58-66. Persian. doi: 10.22037/JRM.2014.1100126
- Roeser RJ. Roeser's audiology desk reference. 2nd ed. New York: Thieme; 1996.
- 31. Katz J. The Buffalo CAPD Model: The importance of phonemes in evaluation and remediation. J Phonet Audiol. 2016;2(1):111.
- 32. Hajiabolhassan F, Lotfi Y, Azordegan F. [Introducing and evaluating a Farsi language version of the staggered spondaic word test in normal hearing subject]. Audiol. 2006;15(1):39-46. Persian.
- Gresele ADP, Garcia MV, Torres EMO, dos Santos SN, Costa MJ. Bilingualism and auditory processing abilities: performance of adults in dichotic listening tests. Codas. 2013;25(6):506-12. doi: 10.1590/S2317-17822014000100003
- Ferreira GC, Torres EMO, Garcia MV, Vasconcellos SJL, Frizzo NS, Costa MJ. The effect of bilingualism on cognitive and auditory abilities in normally hearing adults. Revista CEFAC. 2018;20(1):21-8. doi: 10.1590/1982-0216201820112417
- Silva JC. Evaluation of auditory processing in monolingual and bilingual subjects: TDD and SSW test. 25 f.
 Course Conclusion Paper (Bachelor's Degree in Speech Therapy) —Universidade de Brasília, Brasília, 2018.
- Jalilvand Karimi L, Motlaghzadeh L, Mohammadkhani G, Akbarzadeh Baghban A. The comparison of auditory capacity between bilinguals and monolinguals by consonant vowel dichotic test. J Rehab Med. 2013;2(3): 19-30. Persian. doi: 10.22037/JRM.2013.1100113
- 37. Mansoori N, Tahaei SAA, Jafari Z, Kamali M. [The auditory attention status in Iranian bilingual and monolingual people]. Audiol. 2013;22(2):40-6. Persian.
- Zaidan E, Garcia AP, Tedesco MLF, Baran JA. Performance of normal young adults in two temporal resolution tests. Pro Fono. 2008;20(1):19-24. doi: 10.1590/s0104-6872008000100004
- Darestani Farahani E, Wouters J, van Wieringen A. Contributions of non-primary cortical sources to auditory temporal processing. Neuroimage. 2019;191:303-14. doi: 10.1016/j.neuroimage.2019.02.037
- 40. Sanayi R, Mohamadkhani G, Pourbakht A, Jalilvand L, Jalayi S, Shokri S. Auditory temporal processing abilities in early azari-persian bilinguals. Iran J Otorhinolaryngol. 2013;25(4):227-32. doi: 10.22038/IJORL.2013.1154
- 41. Gandour JT. Neural specializations for pitch in tonal languages. In proceeding of Speech Prosody Conference. 2012 May 22-25; Shanghai, China. 2012. pp. 624-8.
- Oppitz SJ, Pelissari IG, Gois M, Garcia MV, Bruno RS, dos Santos Filha VAV. Temporal Processing in Monolingual and Bilingual Normal Hearing Adults. Int Arch Otorhinolaryngol 2014;18 (S 01):a2281.
- 43. Omidvar S, Jafari Z, Tahaei AA, Salehi M. Comparison of auditory temporal resolution between monolingual Persian and bilingual Turkish-Persian individuals. Int J Audiol. 2013;52(4):236-41. doi: 10.3109/14992027.2012.744106

Chupani et al. 166

 Moore BCJ. An introduction to the psychology of hearing. 6th ed. Bingley: Emerald Group Publishing, Ltd.; 2012.

- 45. Killion MC, Niquette PA, Gudmundsen GI, Revit LJ, Banerjee S. Development of a quick speech-in-noise test for measuring signal-to-noise ratio loss in normal-hearing and hearing-impaired listeners. J Acoust Soc Am. 2004;116(4 Pt 1):2395-405. doi: 10.1121/1.1784440
- Duncan KR, Aarts NL. A comparison of the HINT and Quick Sin Tests. Can J Speech Lang Pathol Audiol. 2006;30(2):86-94.
- Aarabi S, Jarollahi F, Badfar S, Hosseinabadi R, Ahadi M. Speech perception in noise mechanisms. Aud Vestib Res. 2016;25(4):221-6.
- 48. Krizman J, Bradlow AR, Lam SS, Kraus N. How bilinguals listen in noise: linguistic and non-linguistic factors. Biling (Camb Engl). 2017;20(4):834-43. doi: 10.1017/S1366728916000444
- Lucks Mendel L, Widner H. Speech perception in noise for bilingual listeners with normal hearing. Int J Audiol. 2016;55(2):126-34. doi: 10.3109/14992027.2015.1061710
- Tabri D, Chacra KMSA, Pring T. Speech perception in noise by monolingual, bilingual and trilingual listeners. Int J Lang Commun Disord. 2011;46(4):411-22. doi: 10.3109/13682822.2010.519372
- 51. Weiss D, Dempsey JJ. Performance of bilingual speakers on the English and Spanish versions of the Hearing in Noise Test (HINT). J Am Acad Audiol. 2008;19(1):5-17. doi: 10.3766/jaaa.19.1.2
- 52. Bidelman GM, Heath ST. Neural correlates of enhanced audiovisual processing in the bilingual brain. Neuroscience. 2019;401:11-20. doi: 10.1016/j.neuroscience.2019.01.003
- 53. Gordon DP, Zatorre RJ. A right-ear advantage for

- dichotic listening in bilingual children. Brain Lang. 1981; 13(2):389-96. doi: 10.1016/0093-934x(81)90103-6
- 54. Sanders LD, Ameral V, Sayles K. Eventrelated potentials index segmentation of nonsense sounds. Neuropsychologia. 2009;47(4):1183-6. doi: 10.1016/j.neuropsychologia.2008.11.005
- Negin E, Farahani S, Jalaie S, Barootian SS, Pourjavid A, Eatemadi M, et al. Effect of bilingualism on volume of corpus callosum. Aud Vestib Res. 2016;25(2):127-34.
- Krizman J, Skoe E, Marian V, Kraus N. Bilingualism increases neural response consistency and attentional control: Evidence for sensory and cognitive coupling. Brain Lang. 2014;128(1):34-40. doi: 10.1016/j.bandl.2013.11.006
- 57. Rahmani E, Jarollahi F, Hosseini A, Soleymani M. The effect of early bilingualism on auditory temporal processing ability using time-compressed Persian speech test. Aud Vestib Res. 2015;24(2):48-53.
- 58. Guiberson M. Bilingual skills of deaf/hard of hearing children from Spain. Cochlear Implants Int. 2014;15(2): 87-92. doi: 10.1179/1754762813Y.0000000058
- 59. Krizman J, Slater J, Skoe E, Marian V, Kraus N. Neural processing of speech in children is influenced by extent of bilingual experience. Neurosci Lett. 2015;585:48-53. doi: 10.1016/j.neulet.2014.11.011
- Lotfi Y, Chupani J, Javanbakht M, Bakhshi E. Evaluation of speech perception in noise in Kurd-Persian bilinguals. Aud Vestib Res. 2019;28(1):36-41. doi: 10.18502/avr.v28i1.414
- 61. Kumar K, Sreeshma R, Kalaiah MK. A comparison of temporal processing and spectral processing abilities of monolingual, bilingual and multilingual children. Int J Audiol. 2020;59(7):501-5. doi: 10.1080/14992027.2020.1720921