



Tehran University of Medical
Sciences Publication
<http://tums.ac.ir>

Iran J Parasitol

Open access Journal at
<http://ijpa.tums.ac.ir>



Iranian Society of Parasitology
<http://isp.tums.ac.ir>

Letter to the Editor

Sand Fly-Borne Leishmaniasis in the Era of Climate Change: The Need for One Health Surveillance and Resistance Monitoring in Iran

***Piruz Shadbash**

Department of Microbiology and Microbial Biotechnology, Faculty of Life Sciences and Biotechnology, Shahid Beheshti University, Tehran, Iran

Received 12 Jun 2026

Accepted 28 Jun 2026

*Correspondence Email:

p_shadbash@sbu.ac.ir

Dear Editor-in-Chief

Leishmaniasis remains a major arthropod-borne disease of global public health importance, particularly in endemic regions, including Iran (1,2). Its transmission is sustained by the interplay of sand fly vectors, animal reservoirs, environmental conditions, and human population movement (3, 4). Despite advances in diagnosis and treatment, the epidemiology of leishmaniasis is becoming increasingly complex due to climate change, land-use alteration, urban expansion, and ecological disruption, all of which can alter vector distribution and transmission intensity (3, 5).

Sand fly ecology is highly sensitive to temperature, humidity, rainfall, vegetation cover, and altitude. These factors influence vector survival, seasonal abundance, biting

activity, and the probability of parasite transmission (6). As a result, climate-driven ecological change may expand the geographic range of competent vectors or increase transmission in areas that were previously considered low-risk (7). This makes reliance on static endemicity maps increasingly inadequate for public health planning.

Because many forms of leishmaniasis are zoonotic, a One Health framework is especially relevant. Human cases represent only one component of a broader transmission system involving vectors, reservoir hosts, and the surrounding environment. Integrated surveillance that combines entomological monitoring, veterinary data, clinical reporting, and climate/environmental indicators is therefore essential to identify evolving hotspots, anticipate outbreaks, and transition from reactive control to predictive prevention (8). Genomic,



Copyright © 2026 Shadbash. Iranian Society of Parasitology, and Tehran University of Medical Sciences.

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International license (<https://creativecommons.org/licenses/by-nc/4.0/>). Non-commercial uses of the work are permitted, provided the original work is properly cited.

DOI: <https://doi.org/10.18502/ijpa.v21i3.22603>

population-based, and spatial approaches can further enhance this framework by characterizing sand fly population structure, dispersal, and pathogen associations that may shape local transmission dynamics (9).

Another critical challenge is the long-term sustainability of vector control. Chemical interventions remain important in endemic areas, but their effectiveness is threatened by insecticide resistance. Reports of resistance patterns and resistance-associated molecular mechanisms, including *kdR*-related mutations in Iranian *Phlebotomus* populations underscore the need to institutionalize routine susceptibility testing and molecular resistance surveillance as core program components (10). Such monitoring can guide evidence-based insecticide choice, reduce operational failure, and support resistance management strategies.

Taken together, these developments indicate that leishmaniasis control must move beyond traditional case detection and vector reduction alone. Climate-informed risk assessment, One Health surveillance, and systematic resistance monitoring should be integrated into a unified national framework to strengthen early warning capacity, optimize resource allocation, and improve preparedness for emerging and re-emerging transmission foci in Iran.

Conflict of interest

The authors declare that there is no conflict of interests.

References

1. Sabzevari S, Mohebbi M, Hashemi A. Cutaneous and visceral leishmaniasis: parasites, vectors and reservoir hosts in endemic foci of North Khorasan, Northeastern Iran-a Narrative Review. *J Med Microbiol Infect Dis*. 2020;8(2):40-4.
2. Feiz-Haddad MH, Khorami S. A comprehensive review of epidemiology, environmental factors, and control strategies for zoonotic cutaneous leishmaniasis in Iran: challenges and prospects. *Adv Biomed Res*. 2025;14:90.
3. Kumari Y, Gunathilaka N, Amarasinghe D. A comprehensive review of biological and genetic control approaches for leishmaniasis vector sand flies; emphasis towards promoting tools for integrated vector management. *PLoS Negl Trop Dis*. 2025;19(1):e0012795.
4. World Health Organization. Leishmaniasis. Geneva: World Health Organization; 2024. Available from: <https://www.who.int/news-room/fact-sheets/detail/leishmaniasis>
5. Kim J, Zieneldien T, Ma S, Cohen BA. Structural drivers of cutaneous leishmaniasis: Examining how the converging effects of displacement, environmental disruption, and political instability reshape epidemiology beyond endemic regions. *Trop Med Infect Dis*. 2025;10(9):245.
6. Trájer AJ. The ecology of mosquito and sandfly vectors and their pathogens in a changing environment (Doctoral dissertation, Pannon Egyetem).
7. Carbone G, Boiardi G, Infantino C, Cunico D, Esposito S. Vectors on the Move: How Climate Change Fuels the Spread of Arboviruses in Europe. *Microorganisms*. 2025;13(9):2034.
8. Hong A, Zampieri RA, Shaw JJ, et al. One health approach to leishmaniasis: understanding the disease dynamics through diagnostic tools. *Pathogens*. 2020;9(10):809.
9. Mohammadi S, Najafzadeh N, Ghafari SM, et al. Geographical and molecular analysis of haplotype variations in *Leishmania major* among infected Iranian *Phlebotomus papatasi*. *Acta Parasitol*. 2024;69(1):549-58.
10. Balaska S, Khajehali J, Mavridis K, et al. Development and application of species ID and insecticide resistance assays, for monitoring sand fly *Leishmania* vectors in the Mediterranean basin and in the Middle East. *PLoS Negl Trop Dis*. 2024;18(12):e0012408.