# Downloaded from jhr.ssu.ac.ir at 13:35 IRDT on Monday April 26th 2021

# **Investigation of Health System Assumptions in Curriculum of Fourth Grade Elementary Textbooks Using Shannon Entropy Content analysis**

# Mohammad Azimi (1)



Department of Elementary Education, Farhangiyan University, Tehran, Iran

### **ARTICLE INFO**

# **Original Article**

Received: 25 December 2020 Accepted: 4 March 2021



### **Corresponding Author:**

Mohammad Azimi mohamadazimi19861986@gmail.com

### **ABSTRACT**

**Introduction:** Health education is an inseparable part of a curriculum for all students. Health education should represent the essential knowledge, attitudes, and skills. So, the present research aimed at investigating health system assumptions in fourth-grade elementary textbooks.

**Method:** This research is applied and descriptive-analytical has been done manually by Shannon's entropy content analysis, which suggests a quantitative approach to data processing. The research has investigated the respondents' viewpoints about the content of fourth-grade elementary textbooks and 12 major components (Physical health, Nutritional health, Environmental health, Natural environment health, Family health, Safety incidents, Physical activity, Mental health, Prevention of high-risk behaviors, Control, and prevention of diseases, Disability, Public health, and school health) and 58 minor components of health education and promotion.

Results: In this research, all fourth-grade elementary textbooks have been reviewed. According to Shannon's entropy content analysis results, mental health has the highest frequency with 277 components, and disability has the least frequency with 12 components. Among the 1157 health components in fourth-grade elementary textbooks, there are 81 physical health components, 263 nutritional health components, 57 environmental health components, 33 natural environment health components, 227 family health components, 19 safety incident components, 73 physical activity components, 277 mental health components, 25 component of prevention of high-risk behaviors, 14 components of disease control and prevention, 12 disability components, and 58 components of public health and school health.

**Conclusion:** According to the content analysis, there is no normal distribution between the components of health education and health promotion among the components studied in the content of the fourth-grade books, so that little attention has been paid to health education components in fourth-grade elementary textbooks.

**Keywords:** Health education, Fourth-grade elementary textbooks, Health system assumptions

# How to cite this paper:

Azimi M. Investigation of Health System Assumptions in Curriculum of Fourth Grade Elementary Textbooks Using Shannon Entropy Content analysis. J Community Health Research 2021; 10(1): 41-51.

Copyright: ©2021 The Author(s); Published by Shahid Sadoughi University of Medical Sciences. Creative Commons (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any

### Introduction

A school is an ideal place for health promotion, and it can provide an appropriate environment for education and practice of positive health behaviors (1). Children spend a significant part of their time at school. So, schools are considered as a potential environment influencing the children's health (2). Schools can play a major role in improving health in children to become healthy adults. In general, children and adolescents attend school five days a week; so, they spend much of their time at school. In addition to acquiring academic skills, students can also learn cultural and social skills that strongly affect health behaviors (3).

Health education is an inseparable part of the education curriculum for all students. Health education curriculums should represent the essential knowledge, attitudes, and skills. Health education programs are designed to promote a healthy life and eliminate high-risk health behaviors among students (4) and make them feel more responsible for their health. Health education is the basis of health promotion, including school health promotion and other important components (5). Regarding the Ottawa Charter emphasizing education as a health requisite, WHO has introduced schools as promoters of health. Comprehensive health education programs in schools and parents and societies' participation in health promotion programs have been emphasized as major health promotion components (6, 7).

According to the above statements, health is considered as one of the essential human needs. This concept is considered as physical, mental, and social welfare by WHO, and policymakers have always paid it attention. Fortunately, policymakers of the education system have also paid attention to the importance of health issues. They believe achieving its ultimate goal is to realize healthy life; the education system should not ignore the health dimension. One of the fundamental aspects of education is considered biological and physical aspects that directly focus on health promotion (8).

• In 2002, UNESCO developed a program titled "Teaching and learning for a sustainable future" for

students; one of the four themes of this program curriculum was health education (9).

• Also, principle 29 of constitutional Law has introduced health as a public right. As teachers are responsible for educating the future generation, they and their students should be provided with curriculums, including health promotion considerations (5).

WHO studies on health behaviors in 35 countries (2015) suggest that about 60% of people's health and quality of life depend on their lifestyle and personal behaviors. Borhani (2014) found that the adolescents' health promoting behaviors is not at the same level, and it can be due to their personal characteristics (10). Also, Sahi, Ebrahimi, and Mohammadi reported that 70.9% of students are at a medium level of health-promoting behaviors, and their lowest scores have been obtained in stress management, physical activity, and nutrition components (11). In the current conditions in Iran, we need to promote health components in different groups of the society, including teachers, to have a more healthy society.

A national study performed in 5 provinces to investigate people above 18 years old suggested that health literacy is at a low level in Iran. Moreover, a study performed in 2012 showed a low level of health literacy in Kerman province (7).

So, despite the importance of health education, studies suggest that this issue has not been paid enough attention in Iran; different classes, especially teachers and students, are not provided with health-promoting programs. Although no study has yet investigated health literacy among teachers and teacher training students, some of the findings of health-related studies can be useful in this area. Imani, Rakhshani, and Tabatabaei (2004) found that only one percent of elementary school adequate information teachers have about environmental health and the students' physical and mental health needs.

The findings mentioned above can be considered as a threat to the quality of education of future teachers and students; because the time

students spent at school is more than the time they spent with their parents. According to Eisner (1992), a school is an ideal place for health promotion (12). So, increasing the teachers' health literacy provides a condition in which they will try to promote their own and their students' health. Besides, the health-promoting school program has been applied in Iran since 2010. The successful operation of health-promoting school programs will not be realized without defining health promotion for teachers. Furthermore, comparative investigation of Iranian students and students from the four countries of Japan, Australia, France, and Turkey showed that obesity, malnutrition, smoking, oral and dental health venereal diseases, and high-risk problems, behaviors are increasing in Iran.

Nekouei Moghadam et al. (2010) reported that the content of health education textbooks had no effect on students' ability and attitudes and had not acquired enough skills (13).

To make change, prevent diseases, and promote human force health that are considered the goals of system transformation plan, education should be focused in different classes of society, especially students at younger ages. Since the school system directly affects children and adolescents and an indirect effect on adults, it seems that optimal health education in elementary programs is one of the simple ways to provide health education for the general public. According to the investigation of health education status in elementary school textbooks and content analysis of health information components in middle school textbooks, there should be more attention to different health education dimensions in these books. Moreover, some of the health information components have not been paid enough attention in textbooks (14-15). Therefore, health education and promotion can provide students and teachers with the opportunity of acquiring knowledge, information, and skills that will lead them towards appropriate health behaviors and habits. So, designing patterns and planning for education, improving negative health behaviors, and creating health-promoting behaviors in elementary school students is unavoidable (16). Hence, this research aimed to investigate the content of fourth-grade elementary school textbooks in terms of the health system's assumptions and check the extent to which these assumptions are observed in educational materials.

### **Methods**

This qualitative study was performed via content analysis using Shannon Entropy Technique. The unit of analysis is the page (texts, questions, drills, and pictures). Content analysis is done in different stages. Three major stages include the following:

- 1. Pre-analysis (preparation and organization)
- 2. Review of the materials (message)
- 3. Processing of the results (17)

This research is mainly focused on the third stage of content analysis that is processing the collected data of the message. After coding and categorizing the message, the obtained data were analyzed. Nowadays, various techniques have been proposed in this area based on getting the percentage of the categories frequency. These techniques have special mathematical problems that decrease the reliability of their results. This research tried to process the results by a new method that is based on the systems theory. The used method is Shannon's entropy which proposes a new qualitative and quantitative approach to content analysis. This method is a very strong and reliable way of content analysis. In information theory, entropy is an indicator for evaluating uncertainty expressed by a probability distribution (18). Based on this method that is referred to as the compensatory method, the respondents' viewpoints about the content (fourth-grade elementary school textbooks) and 12 major components and 8 minor components of health education and promotion were investigated. The validity of health education and promotion was evaluated based on health experts' viewpoints and the curriculum. To ensure accuracy of the analysis results, the upstream documents were analyzed by the researchers and six health education experts. For the same perception of the content analysis form, the researchers' viewpoints about health education, its components, and units of analysis became coordinated.

Step 1: Frequency matrices of the frequency table should become normalized by the following relation:

(1)- Pij = 
$$\frac{Fij}{\sum_{i=1}^{m} Fij}$$
 (i=1, 2, 3,..., m, j=1, 2..., n)

F=frequency of the component

P=normalized frequency matrix

Step 2: Information load of every category is calculated and included in the related column. It is done by the following relation:

(2)- Ej=-k
$$\sum_{i=1}^{m} [p_{ij} \ l_n p_{ij}]$$
 (i=1, 2, 3,..., m, j=1, 2..., n)  $k=\frac{1}{l_n M}$ 

Step 3: Coefficient of importance is calculated by the information load of indicators. The indicator with a higher information load will have a higher degree of importance  $(W_i)$ .

(3)- Wj= 
$$\frac{Ej}{\sum_{j=1}^{m} Ej}$$

Due to the occurrence of error and infinite answers in mathematical calculations, to calculate JE, JiP values equal to zero have been replaced by a little number, i.e., 0.00001. JW is an indicator specifying the importance coefficient of each category of a message regarding the respondents. On the other hand, the message categories have also been ranked based on the W vector (19).

This research tries to investigate health education and promotion components in fourth-grade elementary school textbooks. According to Hiroshi (2012), health-related habits should be acquired in the early stages of life to prevent adulthood's physical and mental diseases. For this purpose, related rules should be developed, and

necessary educations should be provided for people. In this research, we have investigated 12 components of health education and promotion. According to previous studies, each of these components includes several subcomponents presented in the following table. The components and indicators studied in this research have been extracted from studies performed by Helm Seresht and Delpisheh (2009), Shah Hosseini (2016), Shadarzi (2015), Eskandari (2015), Jamison (2001), Ackerman (2004), Lason (2003)(20). However, no study has independently investigated health education and promotion in fourth-grade elementary textbooks vet. The research components and indicators were derived from previous relevant studies, doctors' and health experts' viewpoints, and books. After determining the evaluation indicators, health education, and promotion components, the data were collected and analyzed by Shannon's entropy. In this way, fourth-grade textbooks have been investigated to the extent that health education and promotion components have been addressed.

### **Results**

The findings include qualitative and quantitative analysis of the components found in all the fourth-grade elementary textbooks based on the health system components. First, the frequencies were obtained for each component, and they were converted to normalized data according to the first step of Shannon's entropy method. Then, according to Shannon's entropy's second step, uncertainties of the data are included in the tables. After that, according to Shannon's entropy's fourth step, coefficients of importance are determined for the data. In this way, the component with the highest importance is specified.

Table 1. Frequency distribution of health system assumptions in fourth-grade elementary textbooks

Components								Frequency		
Scale	Subscale	Quran	Persian language	Mathematics	Science	Theology	Social sciences	Total frequency of subscales	Total frequency of scales	
Diamai a a l	Body systems	3	38	3	20	0	1	65		
Physical health	Lifecycle	8	0	0	1	6	0	15	81	
nearm	Body care	0	1	0	0	0	0	1		
	Familiarity of foods	6	16	15	3	0	2	42		
	Nutritional needs	2	0	4	10	0	5	21		
NT . '.' 1	Vegetation	2	13	4	36	0	25	80		
Nutritional	Fauna	0	14	0	40	6	15	75	263	
health	Energy	0	15	0	0	6	8	29		
	Growth control	0	0	1	1	0	2	4		
	Nutrition pattern	3	0	0	3	0	2	8		
	Food health	1	0	0	0	0	3	4		
Environmental	Water health	1	0	8	18	0	18	45		
	Air health	0	1	2	6	0	10	19	75	
health	Soil health	1	0	1	0	0	9	11		
	Noise pollution	0	0	0	3	5	6	14		
	Waste disposal	0	5	0	0	0	11	16		
Natural environment	Countering arthropods and	0	1	0	0	0	1	2	33	
health	rodents Wastewater and healthy	0	0	0	0	0	1	1	33	
	disposal	0	0		1.7	0	1.60	102		
	Population Adolescents'	0 0	0	6 1	15 0	$0 \\ 0$	162 1	183 2		
	health	U	U	1	U	U	1	2		
	Caring for	4	0	2	2	0	2	10		
Family health	children Pregnancy	0	0	0	1	2	0	3	227	
	cares									
	Family relations care	12	0	0	1	0	16	29		
	Prevention of home incidents	0	0	0	0	0	0	0		
	Prevention of school incidents	0	0	0	0	0	0	0		
Safety	Prevention of social incidents	1	0	0	4	2	3	10	19	
incidents	Countering natural disasters	0	0	1	4	0	4	9		
	First aid and workplace health	0	0	0	0	0	0	0		
	Importance of physical activity	0	0	0	4	0	3	7		
Physical activity	and fitness Exercise safety and the relevant rules	0	0	38	0	0	7	45	73	

Components							Frequency		
Scale	Subscale	Quran	Persian language	Mathematic	es Science	Theology	Social sciences	Total frequency of subscales	Total frequency of scales
	Importance of game and its	0	0	0	2	1	10	13	
	different types	0	0	0	0	2	2	_	
	Motor skills Corrective	0 0	0 0	0 0	$0 \\ 0$	2	3	5 0	
	exercise	U	U	U	U	U	U	U	
	Doping drugs	0	0	0	0	0	0	0	
	Sport health	0	2	0	0	0	1	3	
	and nutrition								
	Self-awareness and self-esteem	13	0	2	3	17	1	36	
	Emotions	2	0	1	41	57	6	107	
	Decision	13	0	0	4	0	2	19	
Mental health	making	2	0	1	4	50	1.1	71	277
	Communication Critical	2 0	0 2	1 2	4 7	53 0	11 17	71 28	
	thinking	U	Z	2	/	U	1 /	28	
	Peer relationship	2	0	0	3	9	2	16	
	Unhealthy habits	2	0	1	0	1	0	4	
	Addition	0	0	0	0	0	0	0	
D C	Addictive drug	0	0	0	0	0	0	0	
Prevention of high risk	types The effects of	0	0	0	0	0	0	0	25
behaviors	smoking on the body	U	V	O	O	U	O	U	
	Violation	1	0	0	11	4	5	21	
	AIDS	0	0	0	0	0	0	0	
Control and	Health and disease	0	0	1	6	1	2	10	
prevention of	Patient care	0	0	0	0	0	4	4	14
diseases	Familiarity with diseases	0	0	0	0	0	0	0	
	Importance of disability	0	0	0	1	0	0	1	
Disability	Prevention and helping the	0	0	0	1	0	0	1	12
	disabled Different types of disability	1	0	0	8	0	1	10	
Public health	School and neighborhood	1	0	2	8	0	25	36	
	activities Social factors and public	4	3	0	0	2	2	11	<b>5</b> 0
and school health	health Individual health	1	4	1	1	0	0	7	58
	Nutritional health	0	2	2	0	0	0	4	
Total		86	117	99	272	174	409	1157	1157

[ DOI: 10.18502/jchr.v10i1.5831 ]

According to Table 1, among the components studied in 6 fourth-grade elementary school textbooks, the highest frequency (277) has been reported for mental health, and the lowest frequency (12) has been reported for disability. Among the 1157 health components in fourth-grade elementary textbooks, there are 81 physical health components, 263 nutritional health components, 57

environmental health components, 33 natural environment health components, 227 family health components, 19 safety incident components, 73 physical activity components, 277 mental health components, 25 component of prevention of highrisk behaviors, 14 components of disease control and prevention, 12 disability components, and 58 components of public health and school health.

**Table 2.** The coefficient of importance and weight of the index of Health System Assumptions in Curriculum of Fourth Grade Elementary Textbooks

Components			Textbooks						The values of uncertainty (Ej) and (Ej)	
Scale	Subscale	Quran	Persian language	Mathematics	Science	Theology	Social sciences	( <b>E</b> j)	(Wj)	
	Body systems	0.046	0.585	0.046	0.308	0	0.015		0.026	
Physical health	•	0.533	0	0	0.067	0.400	0		0.023	
<b>3</b>	Body care	0	1	0	0	0	0	0	0	
	Familiarity of foods	0.143	0.381	0.357	0.071	0	0.048	0.752	0.035	
	Nutritional needs	0.095	0	0.190	0.476				0.032	
	Vegetation	0.025	0.162	0.050	0.450	Theology         Social sciences         (Ej) aut (Ej) (Ej)           0         0.015         0.572         0.02           0.400         0         0.492         0.02           0         0         0         0           0         0.048         0.752         0.03           0         0.048         0.752         0.03           0         0.238         0.689         0.03           0         0.312         0.703         0.03           0.080         0.200         0.654         0.03           0.207         0.276         0.571         0.02           0         0.500         0.580         0.02           0         0.500         0.580         0.02           0         0.250         0.604         0.02           0         0.750         0.314         0.01           0         0.400         0.628         0.02           0         0.526         0.610         0.02           0         0.818         0.335         0.01           0         0.687         0.347         0.01           0         0.500         0.387         0.01           0 </td <td>0.032</td>	0.032			
Nutritional	Fauna	0	0.187	0	0.533	0.080	0.200	uncerta (Ej) and (Ej) (  0.572 0 0.492 0 0 0.752 0 0.689 0 0.703 0 0.654 0 0.571 0 0.580 0 0.604 0 0.314 0 0.628 0 0.610 0 0.335 0 0.592 0 0.347 0 0.387 0 0  0.237 0 0.387 0 0 0.237 0 0.387 0 0 0.744 0 0.355 0 0.452 0 0 0 0 0.714 0 0.539 0	0.030	
	Energy	0	0.517	0	0	0.207	0.276	0.571	0.026	
11041111	Growth control	0	0	0.250	0.250	0	0.500	0.580	0.027	
	Nutrition pattern	0.375	0	0	0.375	0	0.250	0.604	0.028	
Scale	Food health	0.250	0	0	0	0	0.750	0.314	0.014	
	Water health	0.022	0	0.178	0.400	0	0.400	0.628	0.029	
	Air health	0	0.053	0.105	0.316	0	0.526	0.610	0.028	
health	Soil health	0.091	0	0.091	0	0	0.818	0.335	0.015	
	Noise pollution	0	0	0	0.214	0.357		0.592	0.027	
NT . 1	Waste disposal	0	0.312	0	0				0.016	
	Countering arthropods and rodents	0	0.500	0	0	0	0.500	0.387	0.018	
health	Wastewater and healthy disposal	0	0	0	0	0	1	uncer (Ej) an (Ej) 0.572 0.492 0 0.752 0.689 0.703 0.654 0.571 0.580 0.604 0.314 0.628 0.610 0.335 0.592 0.347 0.387 0 0.237 0.387 0 0.452 0 0 0.714	0	
	Population	0	0	0.033	0.082	0	0.885	0.237	0.011	
	Adolescents'	0	0	0.500	0		0.500		0.018	
Family health	Caring for children	0.400	0	0.200	0.200	0	0.200	0.744	0.034	
	Pregnancy cares	0	0	0	0.333	0.667	0	0.355	0.016	
	Family relations care	0.414	0	0	0.034	0	0.552	0.452	0.021	
	Prevention of home incidents	0	0	0	0	0	0	0	0	
Scale  Physical health  Physical health  Physical health  Nutritional health  Energy Growth convertion proof health  Environmental health  Noise poll Waste disp Countering a and rodents Wastewate health  Population Adolescen health  Caring for ch Pregnancy Family relation Prevention school inc. Prevention social incidents  Paddisplay  Body syste Lifecycle Body care Familiarity Nutritional Vegetation Fauna Energy Growth convutrition proof health Soil health Soil health Countering a and rodents Wastewate health Caring for ch Pregnancy Family relation Safety incidents  Prevention social incidents First aid an	Prevention of school incidents	0	0	0	0	0	0	0	0	
	Prevention of social incidents	0.100	0	0	0.400	0.200	0.300	0.714	0.033	
metacitts	Countering natural disasters	0	0	0.111	0.444	0	0.444	Uncert (Ej) an	0.025	
	First aid and workplace health	0	0	0	0	0	0		0	

Components			Textbooks						The values of uncertainty (Ej) and (Ej)	
Scale	Subscale	Quran	Persian language	Mathematics	Science	Theology	Social sciences	(Ej)	(Wj)	
	Importance of physical activity and fitness	0	0	0	0.571	0	0.429	0.381	0.017	
	Exercise safety and the relevant rules	0	0	0.844	0	0	0.156	0.241	0.011	
Physical activity	Importance of game and its different types	0	0	0	0.154	0.077	0.769	0.383	0.018	
	Motor skills	0	0	0	0	0.400	0.600	0.376	0.017	
	Corrective exercise	0	0	0	0	0	0	0	0	
	Doping drugs	0	0	0	0	0	0	0	0	
	Sport health and nutrition	0	0.667	0	0	0	0.333	0.355	0.016	
	Self-awareness and self-esteem	0.361	0	0.056	0.083	0.472	0.028	0.664	0.030	
	Emotions	0.019	0	0.009	0.383	0.533	0.056	0.548	0.025	
Mental health	Decision making	0.684	0	0	0.211	0	0.105	0.460	0.021	
Wichtai nearth	Communication	0.028	0	0.014	0.056	0.746	0.155	0.463	0.021	
	Critical thinking	0	0.071	0.071	0.250	0	0.607	0.573	0.026	
	Peer relationship	0.125	0	0	0.187	0.562	0.125	0.646	0.030	
	Unhealthy habits	0.500	0	0.250	0	0.250			0.027	
	Addition	0	0	0	0	0			0	
Prevention of	Addictive drug types	0	0	0	0	0			0	
high risk behaviors	The effects of smoking on the body	0	0	0	0	0	0	0	0	
	Violation	0.048	0	0	0.524	0.190	0.238	0.637	0.029	
	AIDS	0	0	0	0	0	0	0	0	
Control and	Health and disease	0	0	0.100	0.600	0.100			0.028	
prevention of	Patient care	0	0	0	0	0			0	
diseases	Familiarity with diseases	0	0	0	0	0	0	0	0	
	Importance of disability	0	0	0	1	0	0	0	0	
Disability	Prevention and helping the disabled	0	0	0	1	0	0	0	0	
	Different types of disability	0.100	0	0	0.800	0	0.100	0.357	0.016	
Public health	School and neighborhood activities	0.028	0	0.056	0.222	0	0.694	0.473	0.022	
and school health	Social factors and public health	0.364	0.273	0	0	0.182	0.600 0.600 0.376 0 0 0 0 0 0 0 0.333 0.355 0.72 0.028 0.664 0.333 0.056 0.548 0.105 0.460 0.155 0.463 0.607 0.573 0.602 0.125 0.646 0.150 0	0.749	0.034	
	Individual health Nutritional health	0.143 0	0.571 0.500	0.143 0.500	0.143 0	0 0		uncert (Ej) an (Ej)  0.381  0.241  0.383  0.376 0 0.355  0.664  0.548 0.460 0.463 0.573 0.646 0.580 0 0  0  0.637 0 0 0.608 0 0 0 0 0.357  0.473	0.030 0.018	

According to Table 2, the highest coefficient of importance (0.22) has been reported for utritional health components (0.014+0.028+0.027+0.026+0.030+0.032+0.032+0.035+0.0), and the lowest coefficient of importance (0.016) has been reported for disability.

### **Discussion**

According to the content analysis of fourth-grade elementary school textbooks, the frequency of 12 major components and 57 minor components was obtained as 2415. Based on the resulted frequencies, health system components do not have a normal distribution; because some of the components have been paid more attention than others. Also, the frequencies obtained from both programs' texts suggest that the components do not have a normal distribution. Among all the components investigated in 6 textbooks of fourth-grade elementary school, the highest frequency (645) was reported for mental health, and the lowest frequency (7) was reported for disability. According to the results of content analysis of the studied textbooks, it can be concluded that unfortunately, health education and promotion has been paid little attention; whereas on the documents (fundamental based transformation document of education, 3, 4, and 5 constitutional programs, health-related instructions, and health system transformation plan), health issue, its importance, and healthcare have been explicitly introduced important and infrastructure dimensions of different aspects of development. The curriculums were expected to focus on health system health components and make people familiar with health education and promotion, health problems, and healthcare solutions. Experts believe that the designing and execution of health development programs depends on education In other words, designing and executing health development programs mainly requires normal and informal educations (21).

Furthermore, five resources have been mentioned for the development of human needs; these five resources include education, nutrition and health, environment, employment, and economic and political freedom. Among the mentioned factors, education is considered the most important and basic human force development resource in all countries (16). Accordingly, the relevant studies have investigated education and health from different aspects, and they have emphasized the necessity of health education in different ways. Also, some studies have investigated different components of health in educational content. Several schools have provided health education as a course for students (22). Izadi et al. studied elementary program books in terms of health education components, and they concluded that exercise and physical activity had been paid more attention among the studied components.

In contrast, health education components have not paid balanced attention in elementary program books (23). Salehi et al. studied elementary program textbooks in terms of global education components, and they concluded that the studied components have not been paid the same attention (24). Analysis of health-promoting behaviors among students is one of the fundamental issues in every country's education system, and recognition of the factors related to the elementary students' health-associated behaviors is considered one of the research priorities. This research has investigated health education's role as one of the determinant factors related to the elementary program's healthpromoting behaviors. According to the findings of the present study, increased focus on education of health components leads to improvement of healthpromoting behaviors. This finding is consistent with the results of the study performed by Molaei et al. (25). The found relationship suggests the necessity of education of health components and employing specialized health coaches in schools. Meanwhile, a significant direct relationship was found between the interest in health issues and health-promoting behaviors. It can be stated that people interested in health-related issues are more likely to pay attention to their health and seek health information. As the components of disability and prevention of high-risk behaviors respectively got the lowest scores, it is necessary to pay more attention to these two issues to increase the students' awareness and change their attitudes before their health behaviors becomes internalized.

In this study, due to the wide scope of the research, limiting the studies to the fourth grade does not allow generalization to textbooks in other courses, and less attention has been paid to the components of health education and health promotion. Therefore, for future studies, it is suggested that in designing and compiling textbooks, using the opinions of experts and planners of the health system, attention be paid to this important issue and other educational levels in the elementary school.

### **Conclusion**

Therefore, it should be noted that elementary program textbooks can form childhood attitudes and habits and play a major role in adulthood decisions. Furthermore, elementary program textbooks should be evaluated to be practical and useful for education; so that they can respond to

emotional and social needs, satisfy the individuals' curiosity, provide the ability to get aware of oneself and the surrounding world, bring some values for the students, and create peace and hope in them.

## Acknowledgment

The author appreciates all the professors of the faculties of educational sciences, psychology and health education and promotion of Tabriz University, Mohaghegh Ardabil, Tehran, who cooperated in this research. This article was written independently by the author. Has used the code of ethics IR.TABRIZU.REC.1398.031 only to identify the assumptions of the health system.

### **Author contribution**

All stages of article writing and analysis have been done by M.A

### **Conflict of Interest**

The authors declare no conflict of interest.

### References

- 1. Ickovics JR, Carroll-Scott A, Peters SM, et al. Health and Academic Achievement: Cumulative Effects of Health Assets on Standardized Test Scores Among Urban Youth in the United States. Journal of School Health. 2014; 84(1): 40-8.
- 2. Langford R, Bonell CP, Jones HE, et al. The WHO Health Promoting School Framework for Improving The Health and Well-Being of Students and Their Academic Achievement. Cochrane Database of Systematic Reviews. 2014; 4: CD008958.
- 3. Franks AL, Kelder SH, Dino GA, et al. School-based Programs: Lessons Learned from CATCH, Planet Health, and Not-On-Tobacco. Preventing Chronic Disease [Internet]. 2007; 4(2).
- 4. Vermont Health Education Guidelines for Curriculum and Assessment.second edition 2010 ed: Vermont Department of Education. p. 25.
- 5. Barqi I, Mabhouti Dizajyekan J. Content Analysis of Elementary Third Grade Textbooks Based on Attention to Health System Components. Journal of Health Promotion Management. 2019; 8 (6):1-10. [Persian]
- 6. Hafezi A, Abbasi E, Niknami S, et al. The Codification Process of Baccalaureate Curriculum for School Health and Its Validation from the Perspective of Curriculum and School Health Specialists. Journal of Health. 2018; 8 (5): 607-629. [Persian]
- 7. World Health Organization. What is a health promoting school? [2014/11/14]; Available from: http://www.who.int/school\_youth\_health/gshi/hps/en/.
- 8. Fraenkel JR, Wallen NE, Hyun HH. How to Design and Evaluate Research in Education (7th ed.). New York: McGraw-Hill. 1993.
- 9. Vamos S, Zhou M. Using Focus Group Research to Assess Health Education Needs of Pre-Service and in-Service Teachers. American Journal of Health Education. 2009; 4(40): 196-206.
- 10. Tehrani Bani Hashemi SA, Hagh Dost AA, Amirkhani MA, et al. Health Literacy in 5 Provinces and The Factors Affecting It. Strides in Development of Medical Education Journal. The First Number. Fourth period. 2007; 4(1): 1-9. [Persian]

- 11. Salehi Omran I, Mohammadi A. Knowledge, Attitude and Skills of Teachers in Elementary Schools in The Province Environmental. education Journal. 2008; 95:117-91. [Persian]
- 12. Creswell WH, Newman M, Anderson CL. School Health Practice 10th Edition, Toronto, Santa, Clara. 2010.
- 13. Safari M, Shojaei Zadeh, D. Health education and health promotion. Smat. Tehran. Constitution of the Islamic Republic of Iran. Majlis Research Center. Available from: http://rc.majlis.ir/fa/content/iran\_constitution on 20 february 2013. [Persian]
- 14. Amini.M. An Explanation of Multicultural Curriculum and It's Implementation in Iran's Curriculum Development System. Journal of Curriculum Studies. 2012; 7(26): 11-32 .[Persian]
- 15. Baltork MA, Asadnia M, Aghili R. The Status of Health Education in Iranian Elementary School Books. Journal of Health & Development. 2020; 1(4): 245-54. [Persian]
- 16. Salehi Omran E, Abedini Baltork M. Content Analysis of Health Information Components in School Textbooks. Health Information Management. 2011; 8(4): 608-614. [Persian]
- 17. Ebadi N, Ranjdoust S, Azimi M. Task-Based Curriculum Education in Nursing Master's Degree books based on Task-Based Components: A qualitative study. Journal of Nursing Education (JNE). 2019; 8(1):36-44. [Persian]
- 18. Shams G, Farasatkhah M, Mahdi R, et al. Analysis of Factors Affecting QA of Educational Administration by Using Shannon's Entropy Technique. Educational Measurement and Evaluation Studies. 2015; 5(10): 31-60. [Persian]
- 19. Eskandari H, Rafiipour Sh . Curriculum of the Health Education Community in Schools from Preschool to Preschool, Department of Health Communication and Education, under the supervision of the Textbook Planning and Writing Office, Tehran.2005 . [Persian]
- 20. Azimi M. Evaluation of Health System Development Plan and Basic Education Transformation Plan Based on Health System Assumptions with Emphasis on Education. Iranian Journal of Health Education and Health Promotion. 2019; 7 (2):154-171.[Persian]
- 21. Spear HJ, Kulbok PA. Adolescent Health Behaviors and Related Factors: A Review. Public Health Nursing. 2001; 18(2): 82-93.
- 22. Azimi M. Explaining the Experience of Health Education and Training Professionals to Evaluate the Methods and Effectiveness of Health Education among Elementary School Students. Depiction of Health. 2020; 11(4): 381-392. [Persian]
- 23. Izadi S, Salehiomran E, Fathivajargah K, et al. Analysis of Primary School Textbooks Based on The Components of Health Education Review Quarterly. Journal of Educational Innovations. 2010; 9(1): 139-162. [Persian]
- 24. Salehiomran E, Izadi S, Rezaee F. Content Analyze Of Elementary Textbooks Based on The Globaleducation Components. Journal of Curriculum Studies. 2009; 4(13): 141-17 .[Persian]
- 25. Aghamolaei T, Hosseini Z, Hosseini F, et al. The Relationship Between Health Literacy and Health Promoting Behaviors in Students. Journal of Preventive Medicine. 2016; 3(2): 36-43. [Persian]