

Journal of Environmental Health and Sustainable Development



Design and Development of Hospital Waste Management Strategies Using Quantitative Strategic Planning Matrix Technique: A Case Study in Iran

Mehdi Mokhtari ¹, Fatemeh Pourkosari ¹, Roghayeh Koupal ², Roohollah Askari ³*

ARTICLE INFO

ORIGINAL ARTICLE

Article History:

Received: 24 February 2023 Accepted: 20 April 2023

*Corresponding Author:

Roohollah Askari

Email:

r.asqari@gmail.com

Tel:

+98 35 31492210

Keywords:

Waste Management, Matrix, Hospitals, Public, Yazd City.

ABSTRACT

Introduction: This study developed a strategic management plan for hospital waste in selected public hospitals using quantitative strategic planning matrix (QSPM) model.

Materials and Methods: This research was conducted in three stages. First, strengths, weaknesses, opportunities, and threats (SWOT) matrix of waste management was extracted and scored in public hospitals in Yazd. Then, the matrix of internal and external factors along with the obtained strategies were developed using the SWOT model. Finally, using the QSPM model, the attractiveness table was prepared for weighting the prioritized strategies.

Results: The final score of SWOT analysis showed that the studied hospitals were in a competitive position (WT strategy). According to the results, 14 prioritized strategies were proposed. According to the QSPM matrix, the strategy of "green management indicators improvement" was prioritized.

Conclusion: The competitive position of the studied hospitals indicates a situation where hospitals should promote their strengths and reduce their weaknesses in order to take advantage of opportunities.

Citation: Mokhtari M, Pourkosari F, Koupal R, et al. *Design and Development of Hospital Waste Management Strategies Using Quantitative Strategic Planning Matrix Technique: A Case Study in Iran.* J Environ Health Sustain Dev. 2023; 8(2): 2007-18.

Introduction

Health care waste includes blood, sharp materials, contaminated blood, body parts and tissues, chemicals, drugs, and radioactive materials, which are often produced in hospitals and increased with the outbreak of COVID-19 ¹. A large percentage of health care waste (85%) is not hazardous, while 10% of them are infectious and 5% are dangerous due to toxic pollutants such as

mercury, chlorinated plastics, solvents, and some toxic substances ². The main factors influencing the increase of hospital waste production ratio include high population growth rate, increased number of health care providers, easy access of the population to health centers, and excessive use of disposable products, along with inadequate and inappropriate hospital waste management, which are of significant concern in many developing

¹ Environmental Sciences and Technology Research Center, Department of Environmental Health Engineering, School of Public Health, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

² HSE Master, Shohada-e-Kargar Hospital, Social Security Organization of Yazd, Yazd, Iran.

³ Department of Health Management and Economics, School of Public Health, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

2008

countries ³.

Hospital waste management should be costeffective, easy, and eco-friendly, which can be achieved by cooperation between different government agencies ⁴. However, there are many technical, economic, social, and educational problems and inadequate management and disposal methods in transmitting and disposing of waste in most health care centers of developing countries, leading to increased health risks and environmental pollution ⁵. Major problems of hospital waste management include lack of proper segregation, collection, and storage, weakness in waste minimization, simultaneous collection and disposal of normal and hazardous waste, and lack of waste incinerators which can control the emission of particles and air pollution. Moreover, general disposal of chemical waste through the public sewerage system and lack of effective training programs for personnel ⁶, necessitate the existence and preparation of a waste management system resulting in safe and secure health care 7.

National standards such as hospital accreditation, strategic planning at the national level, and World Health Organization (WHO) guidelines determine the major practices of hospital waste management ⁸.

Medical (hospital), agricultural, industrial, ordinary, and special wastes are known as production wastes in Iran. The Waste Management Law of 2004 states that based on the standards set by the Department of the Environment (DOE), all of storage, mixing, collection, processes transportation, sale, and disposal of waste must be carried out with the interdepartmental partnership of the ministries health, treatment and medical education, industry, mining and trade, and other related organizations ⁹. In a study conducted by the WHO, the results showed that waste and its management can contribute to 32 environmental problems Unfortunately, in developing countries, methods such as open burning or unsanitary burials are used for waste disposal, which are completely destructive for humans and the environment. These countries use almost no other method to manage their waste. 11.

Per capita waste produced per hospital bed in North America was 7-10 kg, Western Europe 3-6 kg, Latin America 1-4.5 kg, Africa 0.5-1.3 kg, and in high-income countries of Asia it was 4-4 kg. The risk ratio of hospital waste for each occupied bed was 0.2 kg in undeveloped countries and 0.5 kg in developed countries ¹².

According to the results of the study conducted in Pakistan, private hospitals had a better situation in terms of hospital waste management, and most of them had a good management system (about 67% of hospitals). Public hospitals were also better than small private hospitals. ⁸.

The results of a study conducted in Iran showed that there is no waste management in Iran, since the personnel have not received enough training in this field. ⁶. Depending on the environmental situation, the type of specialization, the number of referrals, and the production of hospital waste, it is possible to evaluate and develop specific programs at regional or hospital levels ¹³.

Different models and techniques can be used to evaluate hospital waste management. The SWOT and the quantitative strategic planning model (QSPM) are among the most famous models. The SWOT is used to determine the current position of the organization and help to improve its performance by determining strategies. The QSPM also helps to prioritize strategies ¹⁰.

Despite the importance of the issue, problems related to proper budget allocation and staff awareness in field visits have been identified. On the other hand, due to the need for cooperation of various organizations in solving problems and limited number of research with a macro perspective on hospital waste management in Yazd, the present study seeks to formulate hospital waste management strategies using the QSPM and then prioritize them in the selected government hospitals of Yazd city in 2021. The findings of this study can be effective in future decision making and planning to improve the quality of hospital services.

Materials and Methods

This cross-sectional study was developed in

2021 based on the strategic planning approach and SWOT model and was evaluated and prioritized using QSPM. The study population was public hospitals in Yazd, including the Social Security Hospital of Yazd (hospital A) and a hospital under the supervision of the University of Medical Sciences (hospital B).

The mentioned hospitals were selected, since they were involved in the process and had more familiarity and cooperation with the research team. Moreover, factors that could affect hospital waste management were not significantly different from each other in the hospitals. Due to ethical considerations, the names of the hospitals were kept confidential.

Research data were collected by completing a checklist, reviewing existing reports, documents, waste management plans, interviews with managers and waste management experts, and field visits of hospital waste management activities. Field visits, reports of relevant experts, and a review of waste management criteria were used for data collection.

In order to conduct this study, two environmental health experts of hospitals, an expert in charge of waste management due to health care in the province, experts supervising environmental health of selected hospitals in the city health center and health centers in the area of selected hospitals were chosen.

A list of factors affecting waste management from health care concerning each stage of waste management was prepared by interviewing them and studying the documents. Then, a checklist of SWOT for each hospital was developed separately through field visits and surveys of environmental health experts.

The SWOT was scored based on importance coefficient (0-1) and priority (1 to 4). In the second stage, the SWOT matrix was designed by external factor evaluation (EFE) and internal factors evaluation (IFE) and how hospital managers reacted using the checklist and the Delphi method.

Delphi technique was used to score the

strategies. Thus, a score of 1 (very weak) to 4 (very strong) was used for each factor of the matrices. For each factor, a weighted score was calculated and the final score was calculated based on the multiplication of internal and external factors in the normalized weight. X axis shows internal factors and Y axis shows external factors. The final score of less than 2.5 indicates the poor condition of hospital waste management for internal and external factors.

This step aims to determine the status of hospitals under study using SWOT in the first four areas, i.e., offensive (strength-opportunity strategies (SO)), conservative area (weakness-opportunity strategies (WO)), competitive area (strength-threat strategies (ST)), and the defensive area (weakness-threat strategies (WT)), and then strategies related to each area were also determined.

In the third stage, a four-column matrix was developed. In the first column, external factors and internal factors, in the second column, weighted scores, in the third column, the strategy obtained from the SWOT matrix, and in the fourth column, attractiveness scores were determined. In order to determine the score of attractiveness, scores of 1 (without attractiveness), 2 (somehow attractive), 3 (attractive and reasonable), and 4 (very attractive) were used. The number of attraction scores of each qualitative matrix column was determined, and each strategy final score was developed and prioritized. This method was performed based on QSPM analysis.

Results

By aggregating the SWOT in each hospital, scoring them, and extracting the SWOT matrix, the state of waste management in the studied hospitals were placed in a strategic defensive position (weakness-threat). By separating the stages of waste management, the strategic position of transportation (defensive), decontamination (competitive), and temporary storage (competitive) stages were found to be identical for two hospitals, while this position was different only in the production phase (Table 1).

2009

Jehsd.ssu.ac.ir

2010

Table 1: Determining the strategic situation of the studied hospitals regarding the stages and total hospital waste management

Stages of hospital waste management of the hospitals variable		Production	Transportation	Decontamination	Temporary storage	Total
	Axis X	2.73	2.27	2.55	2.65	2.55
Hospital A	Axis Y	2.53	1.43	2.20	1.80	2
Hospital A	Strategic	Offensive	Defensive	Competitive	Competitive	Competitive
	position	(SO strategy)	(WT strategy)	(WT strategy)	(ST strategy)	(ST strategy)
Hospital B	Axis X	2.43	2.36	2.72	2.65	2.54

Totally, 14 strengths, 16 weaknesses, 10 opportunities, and 15 threats were extracted from the two hospitals. Based on the SWOT matrix, four area strategies were developed, and three strength-opportunity (SO) strategies, four strength-threat (ST) strategies, three weakness-opportunity (WO)

strategies, four weakness-threat (WT) strategies, and a total of 14 strategies were extracted for prioritization in the QSPM phase (Table 2).

The findings of prioritizing the developed strategies for the studied public hospitals are presented in Table 3.

Table 2: Strategy development of public hospitals

Threats	Opportunities
1. Lack of specialized training of environmental and	1. Detailed executive regulations
municipal experts in the field of waste management	2. Cleaning the environment and
2. Failure to hold specialized courses on waste management	using eco-friendly methods
by the occupational organizations	3. Using long-term usable materials
3. Lack of government policy-making in order to reduce the	disposable appliances with the aim
waste from the origin	energy and resource consumption
4. Lack of transparency of law and having different	4. Using mass media and cyberspace
interpretations	in the realm of production and pr
5. Lack of strict implementation of the rules	segregation
6. Increasing the volume of waste with the advancement of	5. Continuous monitoring of or
technology	supervising the waste management proce
7. Absence of a national guideline for separating normal and	6. Manufacturing advanced domestic
hazardous pharmaceutical waste	for waste transportation
8. The high price of eco-friendly products and the priority of	7. Upgrading new technolog
economic issues	decontamination and localization of ma

Absence of legal requirements and guidelines to limit the industries use of disposable materials

- 10. Lack of a single guideline for waste disposal
- 11. Limitation in the number of trained personnel for 9. Supervision of supervising organizations in disinfection processes
- 12. Absence of macro policies to recycle valuable waste
- 13. Unfavorable climatic conditions and improper conditions waste management organization in storage rooms in case of a power outage
- 14. Lack of a standard pattern for building a storage room
- 15. Lack of segregated waste purchasing systems

- equipment
- s instead of of optimal
- e for training proper waste
- organizations cess
- ic equipment
- ogies for nanufacturing
- 8. Ability to recycle and recover valuable parts of waste
- establishing waste management departments
- 10. Appropriate waste collection schedule by the

Qualitative objectives



Threats

Competitive: Strength-Threat Strategies (ST)

ST 1. Using experienced environmental health professionals for specialized training of environmental experts, municipalities, and others

ST2. Providing specialized and experienced waste management experts' opinions to the government to correct legal deficiencies ST3. Benefiting from experienced experts in the field of health care waste to establish the central site of waste decontamination ST4. Segregation of components of infectious waste and decontamination of recyclable components in order to provide recycling conditions

Offensive: Strength-Opportunity (SO) Strategies

Opportunities

SO1. Improving green management indicators in the waste management

SO2. Increasing the recycling rate of valuable waste by separating waste more accurately

SO3. Using eco-friendly methods in cleaning the environment and equipment using environmental health professionals' opinions

Strengths

- 1. Getting points for green management in the new hospital accreditation system
- 2. Having an environmental expert and specialist in waste management
- 3. Using the opinions of environmental health experts to buy equipment and materials
- 4. Segregation of sharp wastes at the source
- 5. Having adequate utensils and equipment and proper decontamination according to instructions
- 6. Registration of waste information (amount and type)
- 7. Collecting waste with appropriate equipment and decontamination according to instructions (No contamination)
- 8. Collection in three shifts
- 9. Appropriate decontamination method along with checking with standard indicators
- 10. Signing an inter-hospital agreement if autoclave gets broken
- 11. Sending a treatment declaration by the hospital
- 12. Existence of temporary storage in accordance with the standards (suitable location, ventilation, multi-section, suitable floor, and walls) and the possibility of easy decontamination
- 13. Having enough space to prevent the accumulation of waste
- 14. Observing the appropriate time for waste disposal

Threats	Opportunities	
Defensive: Weak-Threat (WT) Strategies WT1. Use of non-expert and surplus forces from other departments WT2. Training specialized personnel to manage waste decontamination systems WT3. Proper placement of waste storage containers with appropriate volume and color	Conservative: Weakness-Opportunity (WO) Strategies WO1. Appropriate training of resources of waste management by experienced experts at the begging of their job WO2. Reducing the amount of waste produced by using durable materials instead of disposable materials WO3. Preparing a detailed waste segregation guide for all hospital staff and clients WO4. Reducing land required for waste burial with proper segregation and recovery of waste at the production site	Weaknesses 1. Lack of proper training of company employees at the beginning of their jobs 2. The increase in the volume of production waste due to lifestyle changes 3. Lack of accuracy and sufficient attention for segregation by manufacturers 4. The number and volume of storage containers are not commensurate with the amount of waste 5. Not considering the necessary measures to increase the amount of waste during epidemics 6. Mixing normal waste with infection and increasing the volume of this type of waste in some sections 7. Classifying ordinary chemicals and safe drugs in the special waste category 8. Employing incompetent staff in waste transportation 9. Improper waste transportation time in some shifts 10. Inefficient use of waste incinerator due to improper separation of waste 11. Lack of replacement device in case of device failure 12. Sending treated waste to the landfill without recycling 13. Lack of proper supervision and poor maintenance management due to high workload 14. Inadequate attention while storing waste 15. Not using personal protective equipment 16. Leakage in the storage area due to breakage of some containers

Table 3: Prioritized strategies in the studied hospitals

Row	Strategy	Score	Priority
1	SO1. More attention to green management	6.00	First priority
2	ST2. Attention to the opinions of experts in waste management	5.93	Second priority
3	WO3. Preparing a detailed waste segregation guide for all hospital staff and clients	5.57	Third priority
4	WO1. Appropriate training of resources of waste management by experienced experts at the beginning of their job	5.34	Fourth priority
5	ST4. Segregation of infectious waste components and decontamination of recyclable components in order to provide recycling conditions	5.11	Fifth priority
6	SO3. Using eco-friendly methods in cleaning the environment and equipment using environmental health professionals' opinions	4.94	Sixth priority
7	SO2. Separation of waste at source with the aim of recycling valuable waste	4.88	Seventh priority
8	WO2. Reducing the amount of waste produced by using durable materials instead of disposable materials	4.80	Eighth priority
9	ST3. Benefiting from experienced experts in the field of health care waste to establish the central site of waste decontamination	4.01	Ninth priority
10	WO4. Reducing land required for waste burial with proper segregation and recovery of waste at the production site	3.81	Tenth priority
11	WT3. Proper placement of waste storage containers with appropriate volume and color	3.78	Eleventh priority
12	ST 1. Using experienced environmental health professionals for specialized training of environmental experts, municipalities, and others	3.42	Twelfth priority
13	WT1. Use of non-expert and surplus forces from other departments	3.24	Thirteenth priority
14	WT2. Training specialized personnel to manage waste decontamination systems	2.65	Fourteenth priority

Based on the results, improving the status of green management in waste management with a score of 6, taking advantage of experts' opinions to solve existing legal problems with a score of 5.93, and preparing a detailed waste segregation guide for all hospital staff and clients with a score of 57.5, were the first three priorities, respectively.

The last three priorities in the hospital waste management included 'using experienced environmental health professionals for specialized training of environmental experts, municipalities, and others' with a score of 3.42, 'not using incompetent and dismissed workers from different departments of waste management' with a score of 3.24, and 'a strategy of training specialized personnel to manage waste decontamination systems' with a score of 2.65, respectively.

Discussion

In the present study, appropriate strategies were developed and prioritized using the QSPM approach by extracting SWOT. Based on the findings, 14 internal strengths and 16 internal weaknesses, 10 opportunities, and 15 external threats were identified in the public hospitals. Given that the score of internal factors evaluation matrix (strengths-weaknesses) of waste management in hospitals A (2.55) and B (2.54) was higher than 2.5, the resulting hospital waste management system in these hospitals has more strengths than weaknesses in terms of internal factors.

EFE Considering the score of matrix (opportunity-threat) in these hospitals, number 2 was obtained, which means that the hospital waste management system cannot use opportunities against threats very well in the current situation. In the waste management stages, the transportation stage in both hospitals showed the dominance of weaknesses over strengths and threats opportunity, which did not indicate an appropriate situation at this stage. Studies have evaluated the healthcare waste management of health centers using the SWOT approach. Jozi et al. conducted a study in Bandar Abbas using a SWOT matrix and analytic hierarchy process (AHP) 14.

The results showed that considering the offensive strategic position, the studied hospitals successfully overcame weaknesses by strengths and opportunities against threats. They could exploit the opportunities by getting the most out of their strengths ¹⁴, which is not consistent with the present study findings. The lack of interdepartmental cooperation of organizations and the correct implementation of environmental standards as the most important opportunities and the lack of proper separation of waste at source of production are the most important weaknesses of this study.

Jozi et al. conducted a study using SWOT and QSPM matrices. The situation of hospitals in Bandar Abbas considering waste management in the offensive area (overcoming strengths over weaknesses and opportunities over threats) was evaluated, which was a better situation than the hospitals studied in the present study ¹⁰. In another study carried out in Iran, Banai Ghahfarkhi et al. changed the situation of safe disposal of medical waste from moderate to good with the intervention of SWOT analysis ¹⁵.

In the study by Mirsha et al. in India, the status of hospital waste management in medical institutions showed the dominance of weakness-threat (obstacles) over strengths-opportunities (assets), indicating a more unfavorable situation compared to the present study ¹⁶. In Indonesia, Putra et al., using the SWOT analysis, reported that outpatient and primary care clinics waste management situation was inadequate and had multiple threats ¹⁷.

Although the numerical scale was not used to assess the situation in the study by Putra et al., it is possible to understand the inappropriate situation and possible placement in the defensive area considering many weaknesses and threats ¹⁷. This discrepancy could be due to different case studies and particular situations. Comprehensive cooperation of organizations, implementation of health and environmental standards, like a key in the segregation and proper waste disposal, can be different in various health care centers, different cities, and countries. It could be due to the differences in manpower, financial and human

2013

2016

resources and inter-departmental cooperation.

According to findings, improving the status of green management, taking advantage of experts' opinions to eliminate legal deficiencies, and preparing a detailed waste segregation guide for all hospital staff and clients, were the first three priorities in the strategies, respectively.

Obtaining a green management certificate and complying with its related standards by hospitals is one of the necessary requirements in this field. In all the proposed models, it is important to pay attention to waste management.

Using experienced environmental health training professionals for specialized environmental experts, municipalities, and others, not using inefficient and dismissed human resources of other departments in different waste management departments, and training specialized personnel to manage waste decontamination systems, were the last three priorities in healthcare waste management of the studied hospitals, respectively. Azmal et al. also emphasized green management and its role in the stages of segregation and disposal of sustainable waste management in the hospital environment ¹⁸. This shows the special importance of waste management in the hospital and the social responsibility of hospitals towards the environment.

In line with the importance and priority of using green management indicators in hospital waste management, Liu et al. in China also stated the use of green hospitals elements, especially during the COVID-19 crisis ¹⁹. Joshi et al. conducted a study on the impact of green management indicators on waste management in a private hospital and a public hospital in India. They indicated the improvement of the hospital status after considering these indicators ²⁰.

Given the maximum consensus on the impact of using green management indicators and standards, which have been referred to under various titles in different countries, it seems that if hospitals use them, it can lead to a change in the strategic position of these hospitals to get to the desired position.

It is necessary to prioritize compliance with these standards in order to help them in better waste management.

Another high-priority strategy in the present study was to provide an accurate waste segregation guide for all hospital staff and clients, which can play an effective role in the waste management segregation phase ²¹.

The findings of Saheldengel's study in Southeastern Ethiopia also showed the important role of informing hospital staff in the segregation of hospital waste ²². In another hospital study in Uganda, individuals' awareness of waste segregation was introduced as part of a comprehensive systemic approach to hospital waste management ²².

This study showed the SWOT and QSPM approach related to hospital waste management in four stages of waste production, transportation, decontamination, and storage in the two public hospitals in Yazd.

The analysis of the EFE and IFE of hospital waste management showed that the strategic situation of waste management in public hospitals is in the competitive area, and the organization needs to use its strengths to eliminate or reduce the effects of threats.

Conclusion

The process of waste management of public hospitals in Yazd was in a competitive situation in the stages of production, decontamination, and temporary storage, and a defensive position in the stage of waste transportation. This position means a situation in which hospitals must be able to exploit opportunities by reducing weaknesses and using strengths to achieve a capable system.

Important strategies were selected based on attractiveness table and using the QSPM. Therefore, with the cooperation of the Hospital Performance Improvement Committee and the support of senior hospital managers and the organization, measures can be taken to move towards applying green management standards and indicators in hospital waste management.

Considering their competitive position, hospitals should be able to make the most of environmental opportunities in order to reduce their weaknesses.

Author contributions

All authors contributed to the study conception and design. Material preparation, data collection and analysis were performed by [M.M], [R.A] and [R.K]. The first draft of the manuscript was written by [F.P] and all authors commented on previous versions of the manuscript. All authors read and approved the final manuscript.

Acknowledgments

This study was supported by the Shahid Sadoughi University of medical Sciences (IR.SSU.Sph.rec.1399.172). The authors would like to thank the Selected Public Hospitals in Yazd, as well as those who contributed to perform this study.

Funding

This study did not rely on any external sources of funding or financial support throughout its entire research process.

Conflict of interest

The authors declare that they have no conflict of interest.

This is an Open-Access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY 4.0) license, which permits others to distribute, remix, adapt, and build upon this work for commercial use.

References

- 1. De Aguiar Hugo A, Lima R. Healthcare waste management assessment: Challenges for hospitals in COVID-19 pandemic times. Waste Manag Res. 2021;39(1_suppl):56-63.
- 2. Sugimoto D, Takahashi F. Motivation to decrease discharge cost results in improper discharge of regulated medical wastes from small clinics: Inspectional and statistical evidence in the Tokyo Metropolitan Area. JMA J. 2023;6(2):138-47.
- 3. Agamuthu P, Barasarathi J. Clinical waste management under COVID-19 scenario in Malaysia. Waste Manag Res. 2021;39(1_suppl): 18-26.

- 4. Gill YQ, Khurshid M. Review of hospital plastic waste management strategies for Pakistan. Environ Sci Pollut Res. 2022;29(1):9408–21.
- 5. Awodele O, Adewoye A. Assessment of medical waste management in seven hospitals in Lagos, Nigeria. BMC Public Health. 2016;16:269.
- 6. Askarian M, Vakili M, Kabir G. Results of a hospital waste survey in private hospitals in Fars province, Iran. Waste Manag. 2004;24(4):347-52.
- 7. Chisholm J, Zamani R, Negm A, et al. Sustainable waste management of medical waste in African developing countries: A narrative review. Waste Manag Res. 2021;39(9):1149-63.
- 8. Ali M. Field lessons in surveying healthcare waste management activities in Pakistan. East Mediterr Health J. 2019;25(3):213-7.
- 9. Afshar F, Abbaspour M, Lahijanian A. Providing a practical model of the waste management master plan with emphasis on public participation "using the SWOT method and the QSPM matrix and the FAHP method". Advances in Environmental Technology. 2019;5(2):77-96.
- World Health Organization. Safe management of wastes from health-care activities: a summary. 2017.
- 11. Kumar M, Singh RS, Banerjee T. Associating airborne particulates and human health: Exploring possibilities: A review on the human health impact of airborne particulate matter. Environment International. 2015;84:201-2.
- 12. Patil PM, Bohara RA. Nanoparticles impact in biomedical waste management. Waste Manage Res. 2020;38(11):1189–203.
- 13. Gorgani J, Nabizadeh R, Gholami M, et al. Hospital wastes management in Mazandaran Province with emphasis on genotoxic waste management. Int J Hydrogen Energy. 2019;12(3):351-64.
- 14. Jozi S, Fazeli N, Moradi Majd N. Environmental management plan for hospital waste in bandarabbas city using SWOT method and QSPM matrix. Environ Res. 2016;6(12):3-17
- 15. Banaiy-Ghahfarokhi B, Sadeghi M, Jazayeri S,

- et al. The study of applicable ways for hospital waste disposal using SWOT method. Journal of Shahrekord University of Medical Sciences. 2013;14(6):60-71.
- 16. Dash D, Muduli M, Mishra M. A swot-Ahp based approach to investigate waste management issues in health care supply chain in odisha. Int J Mech Eng Educ. 2018;9(10):1074–84.
- 17. Putra I, Surata S, Agung A. Medical waste management strategy in the inpatient primary health care center with system approach: a SWOT Analysis. Bali Medical Journal. 2017;6(3):S33-S9.
- 18. Azmal M, Kalhor R, Dehcheshmeh NF, et al. Going toward green hospital by sustainable healthcare waste management. Segregation, Treatment and Safe Disposal. Health. 2014;6(19):2632-40.

- 19. Liu Z, Liu T, Liu X, et al. Research on optimization of healthcare waste management system based on green governance principle in the covid-19 pandemic. Int J Environ Res Public Health. 2021;18(10):5316.
- 20. Joshi S, Bhargava P. Waste management integration with green quality function deployment (G-Qfd) for healthcare centre. Production Engineering Archives. 2019;22(22): 45-9.
- 21. Windfeld ES, Brooks MS. Medical waste management-A review. J Environ Manage. 2015;163:98-108.
- 22. Sahiledengle B. Self-reported healthcare waste segregation practice and its correlate among healthcare workers in hospitals of Southeast Ethiopia. BMC Health Serv Res. 2019;19(1):1-11.