



Public Health Awareness and Knowledge Dissemination Essentially Becomes a Need of the Hour in Combating COVID-19

***Sivaraman DHANASEKARAN¹, Pradeep PUSHPARAJ SELVADOSS¹,
Sundar Manoharan SOLOMON², Ramachandra Bhat CHANDRAMOULISWARAN³,
Leela KAGITHAKARA VAJRAVELU⁴, V.Venugopal VENKATESALU⁵**

1. Department of Pharmacology and Toxicology, Centre for Laboratory Animal Technology and Research, Sathyabama Institute of Science and Technology, Jeppiaar Nagar, Chennai, Tamil Nadu 600119, India
2. School of Technology, Pandit Deendayal Petroleum University, Gandbi Nagar-382 007, Gujarat, India
3. Department of Pharmacology, Government Kilpauk Medical College, Chennai, Tamil Nadu 600010, India
4. Department of Microbiology, SRM Medical College Hospital and Research Center, Tamil Nadu 603211, India
5. Department of Internal Medicine, Sundaram Health Center, Sholinghur, Tamil Nadu 631102, India

***Corresponding Author:** Email: sivaramand83@gmail.com

(Received 01 Mar 2020; accepted 20 Mar 2020)

Dear Editor-in-Chief

The pandemic spread of severe acute respiratory syndrome coronavirus (SARS-CoV-2) that causes COVID-19 (Coronavirus Disease-2019) made a pathetic travel between Jan to Feb 2020 at Wuhan City, Hubei Province, China (1). Alarming demographic data's issued by WHO reveals that nearly 83,652 cases have been reported with corona infection globally until 28 February 2020 (2). Among eastern Mediterranean regions Iran surprisingly striking highest transmission rate of 245 cases on the invasion of COVID-19.

Each infected person can able to transmit the disease to minimum of two others with the predicted reproductive number of 2.2 (3). SARS-CoV-2 as now becomes a major burden on public health and economic stability of societies around the globe. Hence in the present scenario knowledge, dissemination and public health awareness essentially become a need of the hour in combating the COVID-19. Health care providers are constantly striving towards the evidence-based data on newer therapeutic opportunities (4), progress on drug discovery (5), clinical

trials, source and mode of viral transmission (6), pathogenicity (7) and possible precautionary measure (8) for their clinical interventions. Research and publication forum priorities top on the communication sector as it potentially unites the people of different paradigms under one roof. Even China, ministry of science and technology requested researcher to have priority focus on publishing their results for epidemic prevention of COVID-19 (9).

Droplet infection and surface contamination become the primary modes of disease transmission in the severely affected zones. Investigational outcome advocate's that under favorable condition SARS-CoV-2 virion can able to survive in air atmosphere up to several hours in pathogenic form (10).

In this context public health awareness plays a very crucial role in disease prevention and transmission some of which include. 1) Safe usage and careful disposal of contaminants: Sufficient knowledge should be imparted to both public and health care professionals on safe usage and

disposal of potential biomedical wastes which includes bodily fluids, gauze, contaminated masks, gloves, head caps, pads, safety suits, syringes, etc., 2) Sanitation Program: Offering standard operating procedures on surface decontamination with suitable disinfectants, self-cleanliness, 3) Patient-Clinician Interface: Enhanced networking among patient and clinician substantially helps in gaining the patient confidence and timely initiation of therapy.

In conclusion, clinical management and control of COVID-19 become everyone's concern and it's highly possible with full-fledged professional support from clinicians and cooperation from the public domain.

Acknowledgements

The authors would like to thank the Indian Council of Medical Research (ICMR), Government of India, New Delhi.

Conflict of interest

The authors declare that there is no conflict of interest.

References

1. Huang C, Wang Y, Li X, et al (2019). Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*, 395:497-506.
2. WHO Coronavirus disease (COVID-2019) situation reports – 39, 2020 (accessed Feb 29, 2020).https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200228-sitrep-39-covid-19.pdf?sfvrsn=aa1b80a7_2
3. Qun Li, Med M, Xuhua G, et al (2020). Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus–Infected Pneumonia. *N Engl J Med*, 382:1199-1207.
4. Sheahan TP, Sims AC, Leist SR, et al (2020). Comparative therapeutic efficacy of remdesivir and combination lopinavir, ritonavir, and interferon beta against MERS-CoV. *Nat Commun*, 11(1):222.
5. Zumla A, Chan J, Azhar E, et al (2016). Coronaviruses — drug discovery and therapeutic options. *Nat Rev Drug Discov*, 15(5): 327–347.
6. Ge X, Li J, Yang X, et al (2013). Isolation and characterization of a bat SARS-like coronavirus that uses the ACE2 receptor. *Nature*, 503(7477):535-8.
7. Richard M, Van den Brand JMA, Bestebroer TM et al (2020). Influenza A viruses are transmitted via the air from the nasal respiratory epithelium of ferrets. *Nat Commun*, 11:766.
8. Ezzat K, Pernemalm M, Palsson S et al (2019). The viral protein corona directs viral pathogenesis and amyloid aggregation. *Nat Commun*, 10: 2331.
9. General Office of the Ministry of Science and Technology of China. Notice of the General Office of the Ministry of Science and Technology on strengthening the management of scientific and technological research projects of new coronavirus pneumonia. Jan 30, 2020. <https://www.smalltechnews.com/archives/72221> (accessed Feb 28, 2020).
10. Lisa MC, Soyoung J, William AR et al (2010). Effects of Air Temperature and Relative Humidity on Coronavirus Survival on Surfaces. *Appl Environ Microbiol*, 76: 2712–2717.